



CounterPath Corporation
Suite 300, Bentall One Centre
505 Burrard Street Box 95
Vancouver BC V7X 1M3
Canada V6B1R8

Telephone: +1.604.320.3344
www.counterpath.com

Release Notes for eyeBeam 1.5.19.5

March 17, 2009

Known Limitations

Intel Phone Adapter

- Users employing the Intel® 600SM PCI phone adaptor card may experience an issue with being unable to dial more than seven digits. To modify the adaptor's driver to allow dialing more than seven digits, follow this procedure:
 - Access the computer's device manager by right-clicking **My Computer** and selecting **Manager > Device Manager**.
 - Look under "Sounds, Video, Game Controllers" for the 600SM PCI Phone Adaptor.
 - Right-click the device to open the **Properties** dialog for this device, then navigate to the **Properties** tab.
 - Modify the Country/Region setting as desired to an appropriate value for dialing more than seven digits.

Fixed Problems – Release 1.5.19

The Severity field describes the impact of a problem:

- B: Blocks development and/or testing work
- C: Critical problem that crashes, or results in loss of data or severe memory leak
- M: Major, resulting in major loss of function.
- N: Normal.
- Min: Minimal, resulting in minor loss of function.
- E: Enhancement

Severity	ID	Description
B	10080	eyeBeam 1.5 crashes on incoming g723.1 RTP stream from media gateway
C	9699	Eyebeam quit unexpectedly when exit with keeping IM window and "Ban this person" prompt open and after exit click "Yes" on "Ban ..." prompt.
C	10062	Eyebeam crashes silently when try to close "X" sip link handler prompt and exit eyebeam from systray.
C	10067	Crash on changing status icon of duplicate status message without letting the warning prompt appear
E	10081	enhancement: support command line parameter in eyeBeam to shutdown application
M	8208	Eyebeam crash when switch between USB devices on Vista
M	9739	G.729 sounds bad during Audio quality test
N	6875	G729 clampdown
N	7750	"Ban this Person..." should be disabled in context menu once the contact is blocked
N	8889	Privacy rules should block a banned number even if it is prefixed with a +1
N	9153	update libsrtp to latest version (1.4.2)
N	9438	Display name of buddy is not updated in "Buddies-resource-list.xml"
N	9516	EULA needs to be updated
N	9560	Contacts doesn't appear in contact panel when storage method is changed from remote to local

Severity	ID	Description
N	9566	"Buddies-resource-list.xml" on webdav shows contacts with pending request even when contacts are not present on contact panel
N	9596	Warning prompt is displayed on deleting a contact when storage method is changed from webdav to local
N	9597	Contact does not import if click "X" instead of "Finished" button on Import Contacts window.
N	9718	all contact get appears for the contact search when check/uncheck show group option.
N	9862	Presence does not update if primary softphone account is not the first one on the list
N	10069	Privacy rules for a person doesn't overrides default privacy rules & privacy rules for domain.

Fixed Problems – Release 1.5.19.3

Severity	ID	Description
C	10219	G723.1 audio quality – clicks and pops result in unacceptable audio quality
M	6277	eyeBeam FATAL ERROR with dual core machines
M	10739	eyeBeam freezes when multiple accounts enabled
N	5577	Inactivity timers don't work as expected
N	9493	Support the AZERTY keyboard
N	10278	G723.1 codec appears to crash eyeBeam application after several call attempts
N	11081	Polycom won't download driver
N	10238	On Mac, the Enter key does make a call when a contact name is highlighted in Contacts tab (case 4461)

Fixed Problems – Release 1.5.19.4

Severity	ID	Description
N	11263	Color name is misspelled in tooltip of IM window
N	11450	Resip does not allow multiple headers for remote-party-id
N	11470	Remove Neon and replace with CURL
N	11471	Incomplete codec properties for H.264 (unified)
N	11472	Unable to send diagnostic logs
N	11473	Enable G.722 in eyeBeam

Fixed Problems – Release 1.5.19.5

Severity	ID	Description
N	5577	Inactivity timers don't work as expected
N	11646	Audio issues using G.729 and Speex WB, resulting in garbled audio